

# Material Safety Data Sheet –

## Luseaux Laboratories, Inc.

4625 N Santa Fe Drive  
Kingman, AZ 86401

### LUSEAUX® SQB550

#### Section 1: Product & Company Identification

**Trade Name:** SQB-550  
**EPA Reg. No.** 103241113522  
**Product** Quaternary Ammonium Compound  
**Class:**  
**Product Use:** Disinfectant/Sanitizer  
**Manufacturer:** Luseaux Laboratories, Inc.  
4625 Santa Fe Drive  
Kingman, AZ 86401  
**Telephone** Chemtrec 1-800-424-9300  
**Numbers:** Product or Company Information: 928-692-0192 (Mon – Fri)

#### Section 2: Composition/Information on Ingredients

Ingredient	CAS #	Wt. %
Alkyl dimethyl benzyl ammonium chloride (C <sub>1218</sub> )	68424851	8 12
Isopropanol	67630	1 3
Ethanol	64175	< 2%

#### Section 3: Hazards Identification

**Emergency Overview** Clear, colorless to straw colored liquid. Corrosive to the eyes, skin, gastrointestinal tract, and respiratory system.

##### Potential Health Effects:

**Skin:** Causes corrosive burns. Brief exposures may cause irritation and defatting of the skin. Exposures not promptly washed off may lead to toxic effects similar to ingestion. Harmful if absorbed through the skin.

**Eyes:** Causes burns and may result in permanent injury to eyes including blindness.

**Inhalation:** Mists and vapors can irritate the throat and respiratory tract. High vapor concentrations may cause central nervous system effects. Symptoms may include headaches, dizziness, and drowsiness. Harmful if inhaled.

**Ingestion:** Although relatively low in toxicity, Ingestion can cause gastrointestinal irritation, swelling of the larynx, difficulty in breathing, circulatory shock, convulsions and possibly death.

**Chronic:** None known

#### Section 4: First Aid Measures

**Eyes:** Immediately flush eyes with water for 1520 minutes, while holding eyelids open. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Seek medical attention at once.

**Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 1520 minutes. Call a poison control center or doctor for treatment advice.

**Inhalation:** If symptoms are experienced, move victim to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible. Call a poison control center or doctor for further treatment advice.

**Ingestion:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**Note to Physician:** Probable mucosal damage may contraindicate the use of gastric lavage.

#### Section 5: Fire Fighting Measures

**Flash Point:** None when heated to 100°C – Cleveland Open Cup

## Material Safety Data Sheet –

<b>Upper &amp; Lower Flame Limits</b>	Not determined.
<b>Extinguishing Media:</b>	Any agent suitable for surrounding fire.
<b>Fire Fighting Equipment &amp; Instructions:</b>	Firefighters should wear full protective clothing including self contained breathing apparatus. Cool fire exposed containers with spray.
<b>Hazardous Combustion Products:</b>	Irritating and toxic gases or fumes may be released during a fire.
<b>Unusual Fire Explosion Hazards</b>	Combustion products are toxic.

### Section 6: Accidental Release Measures

#### Spill and Leak Procedures

<b>Emergency Action:</b>	Isolate spill or leak area immediately. Keep unauthorized personnel away. Stay upwind. Keep out of low areas where vapors may accumulate.
<b>Spill Cleanup:</b>	Ventilate closed spaces before entering. All equipment used when handling the product must be grounded. Floor will be slippery. Do not touch or walk through spilled material. Stop leak if you can do it without risk.. Prevent entry into waterways, sewers, basements or confined areas. Absorb or cover with dry earth, sand or other noncombustible material and transfer to containers.
<b>Large Spills:</b>	Dike far ahead of liquid spill for later disposal. Pump into containers for disposal.

### Section 7: Handling & Storage

<b>Handling Procedures:</b>	Avoid contact with skin and eyes. Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet facilities. Wash thoroughly after work using soap and water.
<b>Storage Procedures:</b>	Keep the container tightly closed and in a cool, well ventilated place. Keep from freezing. Prevent electrostatic charge buildup by using common bonding and grounding techniques.

### Section 8: Exposure Controls/Personal Protection

<b>Engineering Controls:</b>	Provide adequate local exhaust ventilation (explosion proof) to maintain worker exposure below exposure limits.
------------------------------	---

#### Personal Protective Equipment:

<b>Eyes/Face:</b>	Wear chemical goggles. Use a face shield if splashing is possible.
<b>Skin:</b>	Use impervious gloves (rubber or neoprene). Wear suitable protective clothing.
<b>Respiratory:</b>	If exposure limits are exceeded or if irritation is experienced, a NIOSH/MSNA approved respirator or an organic/vapor removing cartridge respirator protection device should be worn. Ventilation and other forms of engineering controls are often the preferred means for controlling chemical exposures. Respiratory protection may be needed for non-routine or emergency situations.
<b>General:</b>	Eye wash fountain and emergency showers are recommended.

#### The following ingredients have established exposure guidelines:

Ingredient	Exposure Guideline	Guideline Value
Isopropyl Alcohol	ACGIH TWA (2004),	200 ppm TWA, 400 ppm STEL
	OSHA PEL	400 ppm TWA
	NIOSH Pocket Guide	400 ppm TWA, 500 ppm STEL
	Alberta, Manitoba, New Brunswick, Northwest Territories, Nova Scotia, Nunavut, Ontario, Quebec, Saskatchewan, Yukon (Canada)	400 ppm TWA, 500 ppm STEL
	British Columbia (Canada)	200 ppm TWA, 400 ppm STEL
	Mexico	400 ppm TWA, 500 ppm STEL

All TWAs are for an 8hour period and all STELs are for 15 minutes unless specifically noted as being for another time period.

### Section 9: Physical & Chemical Properties

## Material Safety Data Sheet –

**Flash Point:** None when heated to 100°C – Cleveland Open Cup  
**Specific Gravity:** 0.997 (~8.31lbs/gal)  
**Percent Volatiles:** Not determined.  
**Vapor Pressure:** Not determined.  
**VOC Content** Not determined  
**Vapor Density:** Estimated to be heavier than air.  
**Viscosity:** 2.035 mm<sup>2</sup>/s (cSt) @ 24°C  
**Evaporation Rate:** Not determined.  
**Pour Point:** Not determined.  
**pH :** 6 8  
**Appearance and Odor:** Clear, colorless to straw colored liquid with benzaldehyde (organic) odor.

### Section 10: Stability & Reactivity

**Chemical Stability:** Material is stable.  
**Conditions to Avoid:** Keep away from heat and strong oxidizing agents.  
**Incompatibilities:** Strong oxidizing agents (may result in fire.), reducing agents.  
**Hazardous Decomposition:** Carbon monoxide, carbon dioxide and toxic hydrogen chloride vapors.  
**Hazardous Polymerization:** Will not occur.

### Section 11: Toxicological Information

**Carcinogenicity** No Carcinogenicity data available for this product.  
**Acute Oral LD50** 2,940 mg/kg in male and female rats  
**Acute Dermal LD50** > 2,000 mg/kg in male and female rabbits  
**Primary Skin** Corrosive Category I  
**Primary Eye** Corrosive. Category I

#### Chemicals Ingredients Listed as Potential or Known Carcinogens

Ingredient	OSHA	NTP	IARC
No ingredients listed in this section.			

### Section 12: Ecological Information

**Ecotoxicity** Very Toxic to aquatic organisms  
Information available upon request. Please contact Technical Service Department.

**Environmental Fate**  
This product is biodegradable

### Section 13: Disposal Considerations

#### Disposal Instructions

Although not considered a hazardous waste, the discarding or disposal of this material should be done at a properly permitted facility in accordance with the regulations of 40 CFR 262, 263, 264, and 268. Additionally, the discarding or disposal of this material may be further regulated by state, regional, or local regulations. Chemical additions, processing or otherwise altering this material may make the waste management information presented in this MSDS incomplete, inaccurate or otherwise inappropriate.

The transportation, storage, treatment and disposal of this waste material must be conducted in compliance with all applicable Federal, state, and local regulations.

### Section 14: Transport Information

**DOT Hazard Class** 8 Corrosive  
**DOT Proper Shipping Name** Disinfectant Liquid Corrosive, NOS (Quaternary Ammonium Compound), 8, UN1903, PG III  
**49 CFR §173.154 (Exemption)** This product can ship as a "Consumer Commodity" and reclassified as "ORMD" if packaged in < 1.3 gallons (5.0 Liter) containers. (Non Hazardous)

### Section 15: Regulatory Information

#### TSCA Status

## Material Safety Data Sheet –

This product is regulated as a pesticide under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA) and not subject to the TSCA Inventory rules for FIFRA uses.

### Other Chemical Inventories

All components of this product are listed on the following inventories: China and European Union,. One or more ingredients are not listed on the following inventories: Australia, Canada, Japan, Korean and Philippines

### CERCL/SARA

**SARA Title III, Sections 311/312** – This act requires reporting under the Community Right to Know provisions due to the inclusion of the following components of this material in one or more of the five hazard categories listed in the 40 CFR 370:

**Classification of this product:** Immediate, Fire

**SARA Title 313** – This act requires submission of annual reports of releases of the following components of this material if the threshold reporting quantities, as listed in 40 CFR 372, are met or exceeded:

Chemical Name	CAS No.	Maximum Concentration	Comment
No ingredients listed in this section.			

**Reportable Quantities/Threshold Planning Quantities:** CERCLA requires notification of the National Response Center (Telephone 18004248802) in the event of a release of quantities of the following hazardous materials contained in this product, if the release is equal to or greater than the Reportable Quantities (RQs). SARA 302/304 requires emergency planning, including agency notification, for possible release of the following components of this material, based upon the Threshold Planning Quantities (TPQs) and/or release of Reportable Quantities.

Chemical Name	Reportable Quantity (RQ)	Threshold Planning Quantity (TPQ)
No ingredients listed in this section.		

### State & Provincial Right to Know & Selected Regulatory Lists

The following ingredients appear on various state right to know lists and/or California's Proposition 65 List

Chemical Name	State List
Benzyl Chloride (trace < 100 ppm)	AZ, CA, CAP65C, CT, IL, MA, MN, NJ, PA, RI
Ethanol < 0.4%)	AZ, CA, CT, ID, MA, MN, NJ, PA, RI

AZ – Arizona Ambient Air Quality Guidelines	IL – Illinois Toxic Air Contaminant Carcinogenic
CT – Connecticut Hazardous Air Pollutants	MA – Massachusetts Right to Know List
CA – California Director's List of Hazardous Substances	MN – Minnesota Hazardous Substances List
CAP65C – California Prop 65 Carcinogen	NJ – New Jersey Right to Know List
ID – Idaho Non-carcinogen Toxic Air Pollutants	PA – Pennsylvania Right to Know List
	RI – Rhode Island Hazardous Substances List

**WHMIS Classification:** E, D2B. This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

### **Section 16: Other Information**

**Issue Date:** August 3, 2010

Hazard Ratings	HMIS (II)	NFPA
Health	3	3
Flammability	0	0
Reactivity	0	0
PPE	B	

### **Disclaimer**

Disclaimer: Nothing contained herein grants or extends a license, express or implied, in connection with patents, issued or pending, of the manufacturer or others. The information contained herein is based on the manufacturer's own study and the works of others. The manufacturer makes no warranties, expressed or implied, as to the accuracy, completeness, or adequacy of the information contained herein. The manufacturer shall not be held liable (regardless of fault) to the vendee's employees, or anyone for any direct, special or consequential damages arising out of or in connection with the accuracy, completeness, adequacy or furnishing of such information.